

**Luminance Effects on Visual Acuity  
and Small Letter Contrast Sensitivity  
(Reprint)**

**By**

**Jeff Rabin**

**Aircrew Health and Performance Division**

**19950412 071**

**February 1995**

*DTIC QUALITY ASSURED*

Approved for public release; distribution unlimited.

**United States Army Aeromedical Research Laboratory  
Fort Rucker, Alabama 36362-0577**

## Notice

### Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

### Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

### Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.

### Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

### Human use

Human subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 70-25 on Use of Volunteers in Research.



Reviewed:

  
RICHARD R. LEVINE

LTC, MS

Director, Aircrew Health and Performance Division

Released for publication:

  
ROGER W. WILEY, O.D., Ph.D.  
Chairman, Scientific  
Review Committee  
DENNIS F. SHANAHAN  
Colonel, MC, MFS  
Commanding

| REPORT DOCUMENTATION PAGE   |       |   |  | Form Approved<br>OMB No. 0704-0188                     |                                   |
|---|-------|---|--|--|-----------------------------------|
| 1a. REPORT SECURITY CLASSIFICATION  |       |   | 1b. RESTRICTIVE MARKINGS   |  |                                   |
| 2a. SECURITY CLASSIFICATION AUTHORITY   |       |   | 3. DISTRIBUTION / AVAILABILITY OF REPORT   |  |                                   |
| 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE   |       |   | Approved for public release; distribution unlimited                                    |  |                                   |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S)<br>USAARL Report 95-14  |       |   | 5. MONITORING ORGANIZATION REPORT NUMBER(S)  |  |                                   |
| 6a. NAME OF PERFORMING ORGANIZATION<br>U.S. Army Aeromedical Research Laboratory  |       | 6b. OFFICE SYMBOL<br>(If applicable)<br>MCMR-UAS-VS                                 | 7a. NAME OF MONITORING ORGANIZATION<br>U.S. Army Medical Research and Materiel Command |  |                                   |
| 6c. ADDRESS (City, State, and ZIP Code)<br>P.O. Box 620577<br>Ft. Rucker, AL 36362-0577   |       | 7b. ADDRESS (City, State, and ZIP Code)<br>Fort Detrick<br>Frederick, MD 21702-5012 |  |  |                                   |
| 8a. NAME OF FUNDING / SPONSORING ORGANIZATION   |       | 8b. OFFICE SYMBOL<br>(If applicable)  | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER  |  |                                   |
| 8c. ADDRESS (City, State, and ZIP Code)   |       | 10. SOURCE OF FUNDING NUMBERS   |  |  |                                   |
|   |       | PROGRAM<br>ELEMENT NO.<br>62787A  | PROJECT<br>NO. 3016278<br>7A879  | TASK<br>NO.<br>PE                                      | WORK UNIT<br>ACCESSION NO.<br>164 |
| 11. TITLE (Include Security Classification)<br>Luminance Effects on Visual Acuity and Small Letter Contrast Sensitivity   |       |   |  |  |                                   |
| 12. PERSONAL AUTHOR(S)<br>Jeff Rabin  |       |   |  |  |                                   |
| 13a. TYPE OF REPORT<br>Final  |       | 13b. TIME COVERED<br>FROM _____ TO _____  |  | 14. DATE OF REPORT (Year, Month, Day)<br>1995 February |                                   |
| 15. PAGE COUNT<br>4   |       |   |  |  |                                   |
| 16. SUPPLEMENTARY NOTATION<br>Printed in <u>Optometry and Vision Science</u> , 1994, Vol. 71, No. 11, pp. 685-688   |       |   |  |  |                                   |
| 17. COSATI CODES  |       |   | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)      |  |                                   |
| FIELD   | GROUP | SUB-GROUP   | Visual acuity, Contrast sensitivity, luminance, resolution                             |  |                                   |
| 06  | 04    |   |  |  |                                   |
| 20  | 06    |   |  |  |                                   |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number)  |       |   |  |  |                                   |
| <p>The purpose of this study was to evaluate the effects of luminance on visual acuity (VA) and small letter contrast sensitivity (SLCS). Computer-generated letter charts were used to measure VA and SLCS [6/7.5 (20/25) Snellen equivalent] as a function of stimulus luminance. Letter size (VA) and contrast (SLCS) were varied in equal logarithmic steps, making the task and scoring procedure comparable for the two types of measurement. Both VA and SLCS decreased with decreasing luminance, but the effect was far greater in the contrast domain. Reducing luminance from 116 cd/m<sup>2</sup> to 0.23 cd/m<sup>2</sup> produced a 3 x reduction in VA, but a 17 x reduction in SLCS. The greater sensitivity of SLCS to luminance endured even after correction for greater measurement variability. SLCS is a sensitive approach for detecting resolution loss undisclosed by standard measures of VA. It may be useful for monitoring visual loss from light attenuation in early cataracts, and for detecting subtle resolution loss from neural or pathologic factors in ocular and neuro-ophthalmologic disease.</p> |       |   |  |  |                                   |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT<br><input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS   |       |   | 21. ABSTRACT SECURITY CLASSIFICATION<br>Unclassified                                   |  |                                   |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL<br>Chief, Scientific Information Center   |       |   | 22b. TELEPHONE (Include Area Code)<br>(334) 255-6907                                   |  | 22c. OFFICE SYMBOL<br>MCMR-UAX-SS |

# Luminance Effects on Visual Acuity and Small Letter Contrast Sensitivity

JEFF RABIN\*

Aircrew Health and Performance Division, U.S. Army Aeromedical Research Laboratory, Fort Rucker, Alabama

## ABSTRACT

The purpose of this study was to evaluate the effects of luminance on visual acuity (VA) and small letter contrast sensitivity (SLCS). Computer-generated letter charts were used to measure VA and SLCS [6/7.5 (20/25) Snellen equivalent] as a function of stimulus luminance. Letter size (VA) and contrast (SLCS) were varied in equal logarithmic steps, making the task and scoring procedure comparable for the two types of measurement. Both VA and SLCS decreased with decreasing luminance, but the effect was far greater in the contrast domain. Reducing luminance from 116 cd/m<sup>2</sup> to 0.23 cd/m<sup>2</sup> produced a 3 × reduction in VA, but a 17 × reduction in SLCS. The greater sensitivity of SLCS to luminance endured even after correction for greater measurement variability. SLCS is a sensitive approach for detecting resolution loss undisclosed by standard measures of VA. It may be useful for monitoring visual loss from light attenuation in early cataracts, and for detecting subtle resolution loss from neural or pathologic factors in ocular and neuro-ophthalmologic disease.

**Key Words:** visual acuity, contrast sensitivity, luminance, resolution


A number of visual functions, including visual acuity (VA),<sup>1-4</sup> contrast sensitivity (CS),<sup>5-8</sup> and temporal aspects of vision,<sup>9</sup> are dependent on the luminance of the visual stimulus. Typically, the relation between vision and luminance is expressed in terms of the effects on VA. Although decreasing luminance causes a reduction in VA, clinically significant loss of VA does not occur with luminance reductions over much of the photopic range.<sup>3</sup> Often it is tacitly assumed that resolution is normal under moderate to high light levels, but is reduced under lower levels of illumination.

CS also decreases with decreasing stimulus luminance.<sup>5-8</sup> However, because CS typically is measured with moderate spatial frequency stimuli, comparison of CS to VA loss with decreasing

luminance is problematic inasmuch as the two measures involve separate mechanisms affected differently by optical and neural factors. Comparison of luminance-related resolution loss between acuity and contrast domains requires stimuli of comparable size.

Recently it was demonstrated that small letter CS (SLCS) is a more sensitive index of defocus than conventional measures of VA.<sup>10</sup> Like VA, SLCS is measured with small letters containing higher spatial frequencies, but the letters are varied in contrast rather than in size. The greater sensitivity of SLCS to defocus is attributed to the steep, descending slope of the CS function for which small changes in VA are associated with larger changes in CS. This concept is illustrated in Fig. 1, which shows that defocus shifts the descending limb of the CS function downward and to the left. The leftward shift along the spatial frequency axis represents the loss of VA. The downward shift along the contrast dimension shows the relatively greater loss of SLCS.

If reducing the luminance of the stimulus affects the CS function in a manner similar to the effects of defocus, then SLCS may prove to be more sensitive than VA to subtle reductions in



**Figure 1.** Defocus effects on VA and CS. The left panel shows the CS function with and without defocus, whereas the right panel shows a magnified view of the descending limb. Defocus reduces the contrast of higher spatial frequencies shifting the CS function downward and, consequently, to the left. Because of the steep slope of the descending limb, a reduction in VA is associated with a greater loss of CS, as indicated by the arrow lengths. A similar effect occurs with luminance-induced changes in resolution.

Received February 9, 1994; revision received September 20, 1994.

\*O.D., Ph.D.

Effects of Luminance on Acuity—Rabin

685

Availability Code

Dist

Avail and/or  
Special

A-1

stimulus luminance. This could have clinical application in that visual loss from light attenuation with early cataracts may be better detected with SLCS. This report compares the effects of luminance reduction on VA to its effects on SLCS. Theoretical factors and clinical applications are considered.

## METHODS

VA and SLCS were measured with computer-generated letter charts displayed on a video monitor. Monitor luminance and letter contrast were under software control. The VA and SLCS charts were patterned after those developed by Bailey and Lovie<sup>11</sup> and Pelli et al.,<sup>12</sup> respectively. Each chart consisted of seven rows of letters with five letters per row, and subtended a horizontal visual angle of  $3.1^\circ$ . Two video frames were required to display the entire range of contrasts on the SLCS chart. The VA chart consisted of black, high contrast (93%) letters on a white background. The letters were larger on top, and became progressively smaller, by line, in 0.1 log unit steps with VA ranging from 6/15.1 (20/50.2) to 6/3.8 (20/12.6) (0.4 to -0.2 logMAR). The same principles were used to design the SLCS chart, but letter size was held constant (6/7.5 or 20/25 Snellen equivalent), whereas contrast decreased, by line, in 0.1 log unit steps (from 93% to 5%). As noted in the earlier text, small letters were used to measure CS to: (1) assess high spatial frequency channels like those used for VA, and (2) take advantage of the steep slope of the CS function for which small changes in VA are associated with larger changes in CS (Fig. 1). The same letters were used on both charts [ $5 \times 4$  aspect ratio (height  $\times$  width) non-serifed letters of about equal visibility<sup>11</sup>], but letter sequence was varied from trial to trial by software control to discourage learning effects. The charts were presented at white background luminances ranging from  $0.23 \text{ cd/m}^2$  to  $116 \text{ cd/m}^2$  in 0.3 log unit ( $2\times$ ) steps. The different luminances were achieved by placing neutral filters of appropriate optical density in a filter holder directly in front of the subject's eye. Values were specified in terms of the luminance of the white background because it occupied most of the display and probably governed the adaptational state of the eye.<sup>a</sup> The luminances were presented in ascending order to minimize the time required for adaptation, and to discourage learning effects because resolution improves with luminance.

<sup>a</sup> Because mean luminance on a variable contrast chart increases with decreasing contrast (lower contrast letters have higher mean luminance), this variability could influence our results. To explore this possibility, VA and SLCS also were evaluated as a function of the mean luminance of the letter row at which threshold occurred. Results were essentially the same when expressed relative to mean luminance as they were when expressed relative to background luminance.

Subjects were seated 4.8 m from the display in an otherwise dark room. The left eye was occluded with an eye patch, and the subject adapted with the right eye for 6 min to a uniform field displayed on the monitor at the lowest luminance tested ( $0.23 \text{ cd/m}^2$ ). This period of adaptation was deemed sufficient because longer periods produced no improvement in VA or SLCS. After adaptation, the VA chart was displayed, and the subject was instructed to start from the top and read each row of the chart as far down as possible. This was followed by SLCS testing. The subject then adapted for 1 min to a uniform field at the next highest luminance followed by measurement of VA and SLCS. This procedure was continued across the entire range of luminances. Scoring was conducted by letter with a precision of 0.02 log units.

VA and SLCS thresholds were obtained from 5 subjects (ages 22 to 39 years). Each subject was refracted to maximum VA and optically corrected during testing. Informed consent was obtained from all subjects after protocol approval by our institutional review committee.

## RESULTS

Fig. 2 shows mean ( $\pm 1$  SE) VA (left) and SLCS (right) plotted as a function of stimulus luminance. By displaying the results on scales that span equivalent logarithmic ranges, the magnitude of the effect can be compared directly between acuity and contrast domains. Both VA and SLCS improve with increasing luminance, a finding that is well established from previous studies. However, the magnitude of this effect is far greater in the contrast domain (Friedman non-parametric two-way analysis of variance,  $\chi^2 = 16$ ,  $p < 0.001$ ). Increasing the luminance from  $0.23$  to  $116 \text{ cd/m}^2$  produces a  $3\times$  increase in VA, but a  $17\times$  increase in SLCS. With each  $2\times$  increase in luminance, VA increases 10%, an improvement of two letters on the acuity chart, whereas SLCS




Figure 2. Mean ( $\pm 1$  SE) VA and SLCS (20/25 letter size) are plotted against the luminance of the letter chart. Values are shown on logarithmic axes which span equivalent ranges (100 $\times$  change in visual threshold). For the range of luminances tested, VA changes  $3\times$ , whereas SLCS changes  $17\times$  ( $20/40 = 6/12$  and  $20/14 = 6/4.2$ ).

increases 40%, an improvement of 1½ lines on the contrast chart.

Although changes in luminance have a greater impact on SLCS than on VA, the significance of this finding depends on the variability of the measurement. A larger effect does not ensure greater sensitivity if the measurement is more variable, as is the case for SLCS. To standardize measurements with respect to variability, the difference between each visual threshold and the mean threshold at maximum luminance was divided by the standard deviation (SD) of the measurement. This transformation, which specifies all scores as SD's from the mean, allows for direct comparison of VA and SLCS results. Means and SD's (logMAR:  $-0.15 \pm 0.05$ ; logCS:  $1.20 \pm 0.08$ ) were from a previous study,<sup>10</sup> which used a larger sample size that better approximated a normal distribution. Fig. 3 shows the average number of SD's from the mean (at 116 cd/m<sup>2</sup>) plotted against luminance for VA and SLCS. Using a conservative criterion of 3 SD's from the mean performance at maximum luminance (116 cd/m<sup>2</sup>), SLCS is significantly reduced at 10 cd/m<sup>2</sup>, whereas VA is not significantly reduced until the luminance is decreased to 1 cd/m<sup>2</sup>, a 10× lower luminance. Thus, even when correction is made for variability, SLCS still provides a more sensitive index of subtle changes in the luminance of the visual stimulus, and this effect is highly significant (Friedman two-way analysis of variance,  $\chi^2 = 18$ ,  $p < 0.001$ ).

Despite the larger reduction in SLCS with decreasing luminance, the origin of this effect remains unclear. Although optical factors, such as pupil dilation and increased accommodation (night myopia), contribute to the reduction in vision with decreasing luminance, research suggests that these effects are most detrimental at luminances lower than those used in the present study.<sup>4</sup> To explore this issue, measurements were repeated on one subject who viewed the display through a 3-mm artificial pupil to minimize optical effects. Values were compared to those made with the subject's natural pupil, but equated for retinal illuminance. A significantly greater reduc-




Figure 3. The average number of SD's from mean performance at maximum luminance (116 cd/m<sup>2</sup>) is plotted against chart luminance for VA and SLCS.

tion in vision with the larger (natural) pupil would indicate that optical factors mediate this effect. Although VA and SLCS were consistently better with the artificial pupil, the overall reduction in performance with decreasing retinal illuminance was about the same for artificial and natural pupils (Table 1), and the slope of this reduction also was comparable for the two conditions. Thus, for the range of luminances tested in the present study, the reduction in visual resolution cannot be attributed to optical factors.

## DISCUSSION

The results of this study demonstrate that SLCS provides a sensitive index of changes in the luminance of the stimulus. Luminance reductions in the photopic range produced large losses in SLCS with minimal degradation of VA. Reducing the light level 100× (from 100 to 1 cd/m<sup>2</sup>) produced an 8× reduction in SLCS, whereas VA remained normal by clinical standards [6/6 (20/20)].

It could be argued that comparison of VA and SLCS is not entirely valid because the two tests measure different aspects of visual function. Several approaches were used in this study, which mitigate against this criticism and facilitate comparison between acuity and contrast domains. First, by using letter charts of comparable design, with equal log steps of acuity and contrast, interval size and scoring were the same for the two measures. Second, small letters were used to assess both VA and SLCS, making it likely that thresholds were determined by comparable spatial frequency channels. Third, by standardizing all scores with respect to variability, VA and SLCS were expressed in equivalent units, making a more direct comparison possible. Despite greater variability, SLCS still proved to be a more sensitive index of changes in resolution with luminance.

The reduction in resolution observed with decreasing luminance could reflect optical factors such as pupillary dilation, aberrations, or inaccurate accommodation. However, previous research<sup>4</sup> and the results of our control experiment (Table 1) indicate that optical factors cannot explain the decline in VA and SLCS over the range of luminances tested. Hence this reduction apparently is linked to the decrease in retinal illuminance. It is noteworthy that SLCS varied in proportion to the square root of retinal illuminance, a finding which has been attributed to the quantal

TABLE 1. Decrease in visual performance with reduction in retinal illuminance.

| Vision Test          | Log Decrease in Visual Performance with Reduction in Retinal Illuminance (823-1.6 Td) |                         |
|----------------------|---|-------------------------|
|                      | Natural pupil   | Artificial pupil (3 mm) |
| Visual acuity        | 0.39 log units  | 0.36 log units          |
| Contrast sensitivity | 1.24 log units  | 1.18 log units          |

nature of light,<sup>13, 14</sup> and which has been reported for human and ideal observers limited only by photon noise.<sup>6, 7, 14</sup>

The greater reduction of SLCS than VA with decreasing luminance is of clinical interest because it suggests that SLCS is more sensitive to conditions that attenuate light to the central retina. Subtle visual reduction caused by light attenuation from early cataracts may be better detected, monitored, and correlated with symptoms by measuring SLCS. Diseases of the retina or optic nerve that reduce visual efficiency in a manner comparable to light attenuation also may be more readily detected by measuring resolution in the contrast domain. Further testing of SLCS in clinical populations is needed to validate these assumptions. We are currently developing a hard copy version of the small letter contrast test for widespread distribution.

#### REFERENCES

1. Shlaer S. The relation between visual acuity and illumination. *J Gen Physiol* 1937;21:165-88.
2. Sheedy JE, Bailey IL, Raasch TW. Visual acuity and chart luminance. *Am J Optom Physiol Opt* 1984;61:595-600.
3. Brown AM, Dobson V, Maier J. Visual acuity of human infants at scotopic, mesopic and photopic luminances. *Vision Res* 1987;27:1845-58.
4. Coletta NJ, Clark HK. Change in foveal acuity with light level: optical factors. *Ophthalmic Vis Optics/Noninvasive Assess Vis Sys, Tech Dig Ser* (vol 3), 1993.
5. De Valois RL, Morgan H, Snodderly DM. Psychophysical studies of the monkey vision III. Spatial luminance contrast sensitivity tests of macaque and human observers. *Vision Res* 1974;14:75-81.
6. Kelly DH. Visual contrast sensitivity. *Optica Acta* 1977;24:107-29.
7. Banks MS, Geisler WS, Bennett PJ. The physical limits of grating visibility. *Vision Res* 1987;27:1915-24.
8. Sucs FE, Uvijls A. Contrast sensitivity in retinitis pigmentosa at different luminance levels. *Clin Vis Sci* 1992;7:147-51.
9. Kelly DH. Visual responses to time-dependent stimuli. I. Amplitude sensitivity measurements. *J Opt Soc Am* 1961;51:422-9.
10. Rabin J. Optical defocus: differential effects on size and contrast letter recognition thresholds. *Invest Ophthalmol Vis Sci* 1994;35:646-8.
11. Bailey IL, Lovie JE. New design principles for visual acuity letter charts. *Am J Optom Physiol Opt* 1976;53:740-5.
12. Pelli DG, Robson JG, Wilkins AJ. The design of a new letter chart for measuring contrast sensitivity. *Clin Vis Sci* 1988;2:187-99.
13. Barlow HB. Temporal and spatial summation in human vision at different background intensities. *J Physiol (Lond)* 1958;141:337-50.
14. Comsweet TN. *Visual Perception*. New York: Academic Press, 1970:68-89.

#### AUTHOR'S ADDRESS:

Jeff Rabin  
Aircraft Health and Performance Division  
U.S. Army Aeromedical Research Laboratory  
Fort Rucker, Alabama 36362-0577

Initial distribution

Commander, U.S. Army Natick Research,  
Development and Engineering Center  
ATTN: SATNC-MIL (Documents  
Librarian)  
Natick, MA 01760-5040

Chairman  
National Transportation Safety Board  
800 Independence Avenue, S.W.  
Washington, DC 20594

Commander  
10th Medical Laboratory  
ATTN: Audiologist  
APO New York 09180

Naval Air Development Center  
Technical Information Division  
Technical Support Detachment  
Warminster, PA 18974

Commanding Officer, Naval Medical  
Research and Development Command  
National Naval Medical Center  
Bethesda, MD 20814-5044

Deputy Director, Defense Research  
and Engineering  
ATTN: Military Assistant  
for Medical and Life Sciences  
Washington, DC 20301-3080

Commander, U.S. Army Research  
Institute of Environmental Medicine  
Natick, MA 01760

Library  
Naval Submarine Medical Research Lab  
Box 900, Naval Sub Base  
Groton, CT 06349-5900

Executive Director, U.S. Army Human  
Research and Engineering Directorate  
ATTN: Technical Library  
Aberdeen Proving Ground, MD 21005

Commander  
Man-Machine Integration System  
Code 602  
Naval Air Development Center  
Warminster, PA 18974

Commander  
Naval Air Development Center  
ATTN: Code 602-B  
Warminster, PA 18974

Commanding Officer  
Armstrong Laboratory  
Wright-Patterson  
Air Force Base, OH 45433-6573

Director  
Army Audiology and Speech Center  
Walter Reed Army Medical Center  
Washington, DC 20307-5001

Commander/Director  
U.S. Army Combat Surveillance  
and Target Acquisition Lab  
ATTN: SFAE-IEW-JS  
Fort Monmouth, NJ 07703-5305

Director  
Federal Aviation Administration  
FAA Technical Center  
Atlantic City, NJ 08405

Director  
Walter Reed Army Institute of Research  
Washington, DC 20307-5100



Commander, U.S. Army Test  
and Evaluation Command  
Directorate for Test and Evaluation  
ATTN: AMSTE-TA-M (Human Factors  
Group)  
Aberdeen Proving Ground,  
MD 21005-5055

Naval Air Systems Command  
Technical Air Library 950D  
Room 278, Jefferson Plaza II  
Department of the Navy  
Washington, DC 20361

Director  
U.S. Army Ballistic  
Research Laboratory  
ATTN: DRXBR-OD-ST Tech Reports  
Aberdeen Proving Ground, MD 21005

Commander  
U.S. Army Medical Research  
Institute of Chemical Defense  
ATTN: SGRD-UV-AO  
Aberdeen Proving Ground,  
MD 21010-5425

Commander  
USAMRMC  
ATTN: SGRD-RMS  
Fort Detrick, Frederick, MD 21702-5012

HQ DA (DASG-PSP-O)  
5109 Leesburg Pike  
Falls Church, VA 22041-3258

Harry Diamond Laboratories  
ATTN: Technical Information Branch  
2800 Powder Mill Road  
Adelphi, MD 20783-1197

U.S. Army Materiel Systems  
Analysis Agency  
ATTN: AMXSY-PA (Reports Processing)  
Aberdeen Proving Ground  
MD 21005-5071

U.S. Army Ordnance Center  
and School Library  
Simpson Hall, Building 3071  
Aberdeen Proving Ground, MD 21005

U.S. Army Environmental  
Hygiene Agency  
ATTN: HSHB-MO-A  
Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research  
and Development Center  
Aberdeen Proving Ground, MD  
21010-5423

Commander  
U.S. Army Medical Research  
Institute of Infectious Disease  
ATTN: SGRD-UIZ-C  
Fort Detrick, Frederick, MD 21702

Director, Biological  
Sciences Division  
Office of Naval Research  
600 North Quincy Street  
Arlington, VA 22217

Commandant  
U.S. Army Aviation  
Logistics School ATTN: ATSQ-TDN  
Fort Eustis, VA 23604

Headquarters (ATMD)  
U.S. Army Training  
and Doctrine Command  
ATTN: ATBO-M  
Fort Monroe, VA 23651

IAF Liaison Officer for Safety  
USAF Safety Agency/SEFF  
9750 Avenue G, SE  
Kirtland Air Force Base  
NM 87117-5671

Naval Aerospace Medical  
Institute Library  
Building 1953, Code 03L  
Pensacola, FL 32508-5600

Command Surgeon  
HQ USCENCOM (CCSG)  
U.S. Central Command  
MacDill Air Force Base, FL 33608

Director  
Directorate of Combat Developments  
ATTN: ATZQ-CD  
Building 515  
Fort Rucker, AL 36362

U.S. Air Force Institute  
of Technology (AFIT/LDEE)  
Building 640, Area B  
Wright-Patterson  
Air Force Base, OH 45433

Henry L. Taylor  
Director, Institute of Aviation  
University of Illinois-Willard Airport  
Savoy, IL 61874

Chief, National Guard Bureau  
ATTN: NGB-ARS  
Arlington Hall Station  
111 South George Mason Drive  
Arlington, VA 22204-1382

AAMRL/HEX  
Wright-Patterson  
Air Force Base, OH 45433

Commander  
U.S. Army Aviation and Troop Command  
ATTN: AMSAT-R-ES  
4300 Goodfellow Bouvelard  
St. Louis, MO 63120-1798

U.S. Army Aviation and Troop Command  
Library and Information Center Branch  
ATTN: AMSAV-DIL  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Federal Aviation Administration  
Civil Aeromedical Institute  
Library AAM-400A  
P.O. Box 25082  
Oklahoma City, OK 73125

Commander  
U.S. Army Medical Department  
and School  
ATTN: Library  
Fort Sam Houston, TX 78234

Commander  
U.S. Army Institute of Surgical Research  
ATTN: SGRD-USM  
Fort Sam Houston, TX 78234-6200

Air University Library  
(AUL/LSE)  
Maxwell Air Force Base, AL 36112

Product Manager  
Aviation Life Support Equipment  
ATTN: SFAE-AV-LSE  
4300 Goodfellow Boulevard  
St. Louis, MO 63120-1798

Commander and Director  
USAE Waterways Experiment Station  
ATTN: CEWES-IM-MI-R,  
CD Department  
3909 Halls Ferry Road  
Vicksburg, MS 39180-6199

Commanding Officer  
Naval Biodynamics Laboratory  
P.O. Box 24907  
New Orleans, LA 70189-0407

Assistant Commandant  
U.S. Army Field Artillery School  
ATTN: Morris Swott Technical Library  
Fort Sill, OK 73503-0312

Mr. Peter Seib  
Human Engineering Crew Station  
Box 266  
Westland Helicopters Limited  
Yeovil, Somerset BA20 2YB UK

U.S. Army Dugway Proving Ground  
Technical Library, Building 5330  
Dugway, UT 84022

U.S. Army Yuma Proving Ground  
Technical Library  
Yuma, AZ 85364

AFFTC Technical Library  
6510 TW/TSTL  
Edwards Air Force Base,  
CA 93523-5000

Commander  
Code 3431  
Naval Weapons Center  
China Lake, CA 93555

Aeromechanics Laboratory  
U.S. Army Research and Technical Labs  
Ames Research Center, M/S 215-1  
Moffett Field, CA 94035

Sixth U.S. Army  
ATTN: SMA  
Presidio of San Francisco, CA 94129

Commander  
U.S. Army Aeromedical Center  
Fort Rucker, AL 36362

Strughold Aeromedical Library  
Document Service Section  
2511 Kennedy Circle  
Brooks Air Force Base, TX 78235-5122

Dr. Diane Damos  
Department of Human Factors  
ISSM, USC  
Los Angeles, CA 90089-0021

U.S. Army White Sands  
Missile Range  
ATTN: STEWS-IM-ST  
White Sands Missile Range, NM 88002

Director, Airworthiness Qualification Test  
Directorate (ATTC)  
ATTN: STEAT-AQ-O-TR (Tech Lib)  
75 North Flightline Road  
Edwards Air Force Base, CA 93523-6100

Ms. Sandra G. Hart  
Ames Research Center  
MS 262-3  
Moffett Field, CA 94035

Commander  
USAMRMC  
ATTN: SGRD-UMZ  
Fort Detrick, Frederick, MD 21702-5009

Commander  
U.S. Army Health Services Command  
ATTN: HSOP-SO  
Fort Sam Houston, TX 78234-6000

U. S. Army Research Institute  
Aviation R&D Activity  
ATTN: PERI-IR  
Fort Rucker, AL 36362

Commander  
U.S. Army Safety Center  
Fort Rucker, AL 36362

U.S. Army Aircraft Development  
Test Activity  
ATTN: STEBG-MP-P  
Cairns Army Air Field  
Fort Rucker, AL 36362

Commander  
USAMRMC  
ATTN: SGRD-PLC (COL R. Gifford)  
Fort Detrick, Frederick, MD 21702

TRADOC Aviation LO  
Unit 21551, Box A-209-A  
APO AE 09777

Netherlands Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

British Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Italian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Directorate of Training Development  
Building 502  
Fort Rucker, AL 36362

Chief  
USAHEL/USAAVNC Field Office  
P. O. Box 716  
Fort Rucker, AL 36362-5349

Commander, U.S. Army Aviation Center  
and Fort Rucker  
ATTN: ATZQ-CG  
Fort Rucker, AL 36362

Dr. Sehchang Hah  
Dept. of Behavior Sciences and  
Leadership, Building 601, Room 281  
U. S. Military Academy  
West Point, NY 10996-1784

Canadian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

German Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

French Army Liaison Office  
USAAVNC (Building 602)  
Fort Rucker, AL 36362-5021

Australian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Dr. Garrison Rapmund  
6 Burning Tree Court  
Bethesda, MD 20817

Commandant, Royal Air Force  
Institute of Aviation Medicine  
Farnborough, Hampshire GU14 6SZ UK

Defense Technical Information  
Cameron Station, Building 5  
Alexandra, VA 22304-6145

Commander, U.S. Army Foreign Science  
and Technology Center  
AIFRTA (Davis)  
220 7th Street, NE  
Charlottesville, VA 22901-5396

Commander  
Applied Technology Laboratory  
USARTL-ATCOM  
ATTN: Library, Building 401  
Fort Eustis, VA 23604

Commander, U.S. Air Force  
Development Test Center  
101 West D Avenue, Suite 117  
Eglin Air Force Base, FL 32542-5495

Aviation Medicine Clinic  
TMC #22, SAAF  
Fort Bragg, NC 28305

Dr. H. Dix Christensen  
Bio-Medical Science Building, Room 753  
Post Office Box 26901  
Oklahoma City, OK 73190

Commander, U.S. Army Missile  
Command  
Redstone Scientific Information Center  
ATTN: AMSMI-RD-CS-R  
/ILL Documents  
Redstone Arsenal, AL 35898

Aerospace Medicine Team  
HQ ACC/SGST3  
162 Dodd Boulevard, Suite 100  
Langley Air Force Base,  
VA 23665-1995

U.S. Army Research and Technology  
Laboratories (AVSCOM)  
Propulsion Laboratory MS 302-2  
NASA Lewis Research Center  
Cleveland, OH 44135

Commander  
USAMRMC  
ATTN: SGRD-ZC (COL John F. Glenn)  
Fort Detrick, Frederick, MD 21702-5012

Dr. Eugene S. Channing  
166 Baughman's Lane  
Frederick, MD 21702-4083

U.S. Army Medical Department  
and School  
USAMRDALC Liaison  
ATTN: HSMC-FR  
Fort Sam Houston, TX 78234

NVESD  
AMSEL-RD-NV-ASID-PST  
(Attn: Trang Bui)  
10221 Burbeck Road  
Fort Belvoir, VA 22060-5806

CA Av Med  
HQ DAAC  
Middle Wallop  
Stockbridge, Hants S020 8DY UK

Dr. Christine Schlichting  
Behavioral Sciences Department  
Box 900, NAVUBASE NLON  
Groton, CT 06349-5900

Commander  
Aviation Applied Technology Directorate  
ATTN: AMSAT-R-TV  
Fort Eustis, VA 23604-5577

COL Yehezkel G. Caine, MD  
Surgeon General, Israel Air Force  
Aeromedical Center Library  
P. O. Box 02166 I.D.F.  
Israel

HQ ACC/DOHP  
205 Dodd Boulevard, Suite 101  
Langley Air Force Base,  
VA 23665-2789

41st Rescue Squadron  
41st RQS/SG  
940 Range Road  
Patrick Air Force Base,  
FL 32925-5001

48th Rescue Squadron  
48th RQS/SG  
801 Dezonias Road  
Holloman Air Force Base,  
NM 88330-7715

HQ, AFOMA  
ATTN: SGPA (Aerospace Medicine)  
Bolling Air Force Base,  
Washington, DC 20332-6128

ARNG Readiness Center  
ATTN: NGB-AVN-OP  
Arlington Hall Station  
111 South George Mason Drive  
Arlington, VA 22204-1382

35th Fighter Wing  
35th FW/SG  
PSC 1013  
APO AE 09725-2055

66th Rescue Squadron  
66th RQS/SG  
4345 Tyndall Avenue  
Nellis Air Force Base, NV 89191-6076

71st Rescue Squadron  
71st RQS/SG  
1139 Redstone Road  
Patrick Air Force Base,  
FL 32925-5000

Director  
Aviation Research, Development  
and Engineering Center  
ATTN: AMSAT-R-Z  
4300 Goodfellow Boulevard  
St. Louis, MO 63120-1798

Commander  
USAMRMC  
ATTN: SGRD-ZB (COL C. Fred Tyner)  
Fort Detrick, Frederick, MD 21702-5012

Commandant  
U.S. Army Command and General Staff  
College  
ATTN: ATZL-SWS-L  
Fort Leavenworth, KS 66027-6900

ARNG Readiness Center  
ATTN: NGB-AVN-OP  
Arlington Hall Station  
111 South George Mason Drive  
Arlington, VA 22204-1382

Director  
Army Personnel Research Establishment  
Farnborough, Hants GU14 6SZ UK

Dr. A. Kornfield  
895 Head Street  
San Francisco, CA 94132-2813

ARNG Readiness Center  
ATTN: NGB-AVN-OP  
Arlington Hall Station  
111 South George Mason Drive  
Arlington, VA 22204-1382

Mr. George T. Singley, III  
Deputy Assistant Secretary of the Army  
for Research and Technology  
and Chief Scientist  
ATTN: Room 3E374  
103 Army Pentagon  
Washington, DC 20310-0103

The Honorable Gilbert F. Decker  
Assistant Secretary of the Army  
for Research, Development,  
and Acquisition  
ATTN: Room 2E672  
103 Army Pentagon  
Washington, DC 20310-0103

Dr. Craig Dorman  
Office of the Deputy Director,  
Defense Research and Engineering  
ATTN: Room 3D129LM  
103 Army Pentagon  
Washington, DC 20310-0103

HQ, AFOMA  
ATTN: SGPA (Aerospace Medicine)  
Bolling Air Force Base,  
Washington, DC 20332-6188

Cdr, PERSCOM  
ATTN: TAPC-PLA  
200 Stovall Street, Rm 3N25  
Alexandria, VA 22332-0413